



Riley Equipment Company
6911 Gant Road
Houston, Texas 77066
www.recofiltration.com
(281) 583-5295 Fax: (281) 583-5299

Virgin Granular Activated Carbon

Our line of Virgin Granular Activated Carbon in 8x30 mesh (VGAC-8x30) is made from a selected grade of bituminous coal and is produced under rigidly controlled conditions. This carbon has an excellent distribution of macro-pores and micro-pores which are highly suitable for use in waste treatment and all liquid phase applications.

APPLICATION: For liquid phase filtration. Commonly used to filter chloramines and organic compounds, including pesticides and herbicides, from drinking water. Uses include cartridge manufacturing for potable water, beverage water, etc. Also can be used for the promotion of oxidation, reduction and elimination reactions.

CARBON PROPERTIES:

| | |
|---|-------------------------|
| Total Surface Area, minimum (BET Method) | 1000 m ² /gm |
| Bulk Density (lbs./Ft ³) | 28 |
| Apparent Density, minimum (ASTM 2864) | .46 gm/cc |
| Particle Size Distribution | 8x30 U.S. Mesh |
| Larger than #8 mesh, maximum | 5% |
| Smaller than #30 mesh, maximum | 5% |
| Mean Particle Diameter | 1.2 – 1.5 mm |
| Hardness, minimum (ASTM 03802) | 95 |
| Iodine Number, minimum (ASTM 04607) | 950 mg/gm |
| Molasses Number, minimum | 200 |
| CCL ₄ Activity, minimum (ASTM 03467) | 60% |
| Moisture Content, maximum, (ASTM 02867) | 3% |
| Abrasion Number, minimum | 80 |

Standard Packaging: 28 lb. boxes. 215 lb. drums. 1100 lb. super sacks available.

Safety Notice: Wet Activated Carbon depletes Oxygen and creates a severe safety hazard for people working in confined spaces such as inside filters.

All information presented herein is believed reliable and in accordance with accepted engineering practices. Riley Equipment makes no warranties as to the completeness of this information. Users are responsible for evaluating individual product stability for specific applications. Riley Equipment assumes no liability whatsoever for any special, indirect or consequential damages arising from the sale, resale, or misuse of its products.